

STATE OF WASHINGTON
DEPARTMENT OF ECOLOGY

PERMIT

TO APPROPRIATE PUBLIC WATERS OF THE STATE OF WASHINGTON

☐

Surface Water

(Issued in accordance with the provisions of Chapter 117, Laws of Washington for 1917, and amendments thereto, and the rules and regulations of the Department of Ecology.)

☒

Ground Water

(Issued in accordance with the provisions of Chapter 263, Laws of Washington for 1945, and amendments thereto, and the rules and regulations of the Department of Ecology.)

PRIORITY DATE February 13, 1992	APPLICATION NUMBER G2-28401	PERMIT NUMBER G2-28401	CERTIFICATE NUMBER
------------------------------------	--------------------------------	---------------------------	--------------------

NAME
Gordon Moore

ADDRESS (STREET) SE 1160 Binn Swiger Loop	(CITY) Shelton	(STATE) Washington	(ZIP CODE) 98584-9312
--	-------------------	-----------------------	--------------------------

The applicant is, pursuant to the Report of Examination which has been accepted by the applicant, hereby granted a permit to appropriate the following described public waters of the State of Washington, subject to existing rights and to the limitations and provisions set out herein.

PUBLIC WATERS TO BE APPROPRIATED

SOURCE

A well

TRIBUTARY OF (IF SURFACE WATERS)

MAXIMUM CUBIC FEET PER SECOND	MAXIMUM GALLONS PER MINUTE 36.8	MAXIMUM ACRE-FEET PER YEAR 4.5
-------------------------------	------------------------------------	-----------------------------------

QUANTITY, TYPE OF USE, PERIOD OF USE 4.5 acre-feet per year	Multiple domestic supply	Year-round, as needed
--	--------------------------	-----------------------

LOCATION OF DIVERSION/WITHDRAWAL

APPROXIMATE LOCATION OF DIVERSION-WITHDRAWAL

500 feet south and 250 feet east of the northwest corner of Section 19.

LOCATED WITHIN (SMALLEST LEGAL SUBDIVISION) NW $\frac{1}{4}$ NW $\frac{1}{4}$	SECTION 19	TOWNSHIP N. 20	RANGE, (E. OR W.) W.M. 2W	W.F.L.A. 14	COUNTY Mason
--	---------------	-------------------	------------------------------	----------------	-----------------

RECORDED PLATTED PROPERTY

LOT	BLOCK	OF (GIVE NAME OF PLAT OR ADDITION)
-----	-------	------------------------------------

LEGAL DESCRIPTION OF PROPERTY ON WHICH WATER IS TO BE USED

The west 631.62 feet of the north half of the northwest quarter of the northwest quarter of Section 19, T. 20 N., R. 2 W.W.M.

DESCRIPTION OF PROPOSED WORKS

A well, 8" x 297'

DEVELOPMENT SCHEDULE

BEGIN PROJECT BY THIS DATE:

Started

COMPLETE PROJECT BY THIS DATE:

Completed

WATER PUT TO FULL USE BY THIS DATE:

September 1, 1995

1996
2001 2002 2003
2006

PROVISIONS

This permit may be subject to implementation of the minimum requirements established in the Conservation Planning Requirements, Guidelines and Requirements for Public Water Systems Regarding Water Use Reporting, Demand Forecasting Methodology, and Conservation Programs, July 1994, and as revised.

Under RCW 90.03.005 and 90.54.020(6), conservation and improved water use efficiency must be emphasized in the management of the State's water resources, and must be considered as a potential new source of water. Accordingly, as part of the terms of this permit, the applicant may be required to prepare and implement a water conservation plan approved by Department of Health. The standards for such a plan may be obtained from either the Department of Health or the Department of Ecology.

An approved metering device shall be installed and maintained in accordance with RCW 90.03.360, WAC 508-64-020 through -040 (installation, operation, and maintenance requirements are attached). Meter readings shall be recorded at least monthly.

The Permittee is advised that notice of proof of appropriation of water (under which the final certificate of water right is issued) should not be filed until the permanent diversion facilities have been installed, and the system is currently in use. This includes installation of a mainline system capable of delivering the recommended quantity of water to an existing or proposed distribution system within the area to be served, and fulfillment of all other terms of this permit.

This permit shall be subject to cancellation should the permittee fail to comply with the above development schedule and/or fail to give notice to the Department of Ecology on forms provided by that Department documenting such compliance.

Given under my hand and the seal of this office at Olympia, Washington,

this 5th day of October, 19 94.

Mary Riveland, Director

Department of Ecology

ENGINEERING DATA

OK

by

Gale Blomquist

STATE OF WASHINGTON
DEPARTMENT OF ECOLOGY

PERMIT

TO APPROPRIATE PUBLIC WATERS OF THE STATE OF WASHINGTON

☐ Surface Water (Issued in accordance with the provisions of Chapter 117, Laws of Washington for 1917, and amendments thereto, and the rules and regulations of the Department of Ecology.)

☒ Ground Water (Issued in accordance with the provisions of Chapter 263, Laws of Washington for 1945, and amendments thereto, and the rules and regulations of the Department of Ecology.)

PRIORITY DATE	APPLICATION NUMBER	PERMIT NUMBER	CERTIFICATE NUMBER
February 13, 1992	G2-28401	G2-28401	

NAME
Gordon Moore

ADDRESS (STREET)	(CITY)	(STATE)	(ZIP CODE)
SE 1160 Binn Swiger Loop	Shelton	Washington	98584-9312

The applicant is, pursuant to the Report of Examination which has been accepted by the applicant, hereby granted a permit to appropriate the following described public waters of the State of Washington, subject to existing rights and to the limitations and provisions set out herein.

PUBLIC WATERS TO BE APPROPRIATED

SOURCE
A well

TRIBUTARY OF (IF SURFACE WATERS)

MAXIMUM CUBIC FEET PER SECOND	MAXIMUM GALLONS PER MINUTE	MAXIMUM ACRE-FEET PER YEAR
	36.8	4.5

QUANTITY, TYPE OF USE, PERIOD OF USE		
4.5 acre-feet per year	Multiple domestic supply	Year-round, as needed

LOCATION OF DIVERSION/WITHDRAWAL

APPROXIMATE LOCATION OF DIVERSION--WITHDRAWAL
500 feet south and 250 feet east of the northwest corner of Section 19.

LOCATED WITHIN (SMALLEST LEGAL SUBDIVISION)	SECTION	TOWNSHIP N.	RANGE, (E. OR W.) W.M.	W.R.I.A.	COUNTY
NW¼NW¼	19	20	2W	14	Mason

RECORDED PLATTED PROPERTY

LOT	BLOCK	OF (GIVE NAME OF PLAT OR ADDITION)

LEGAL DESCRIPTION OF PROPERTY ON WHICH WATER IS TO BE USED

The west 631.62 feet of the north half of the northwest quarter of the northwest quarter of Section 19, T. 20 N., R. 2 W.W.M.

DESCRIPTION OF PROPOSED WORKS

DEVELOPMENT SCHEDULE

DATE:	COMPLETE PROJECT BY THIS DATE:	WATER PUT TO FULL USE BY THIS DATE:
	Completed	September 1, 1995

9/1/95

PROVISIONS

by be subject to implementation of the minimum requirements established in the Conservation Requirements, Guidelines and Requirements for Public Water Systems Regarding Water Use Demand Forecasting Methodology, and Conservation Programs, July 1994, and as revised.

0.03.005 and 90.54.020(6), conservation and improved water use efficiency must be emphasized. The permittee shall ensure that the permit area is a potential new source of water. As part of the terms of this permit, the applicant may be required to prepare and implement a conservation plan approved by Department of Health. The standards for such a plan may be obtained from the Department of Health or the Department of Ecology.

A metering device shall be installed and maintained in accordance with RCW 90.03.360, WAC 508-11-040 (installation, operation, and maintenance requirements are attached). Meter readings shall be taken at least monthly.

The permittee is advised that notice of proof of appropriation of water (under which the final certificate of appropriation is issued) should not be filed until the permanent diversion facilities have been installed, and the system is fully in use. This includes installation of a mainline system capable of delivering the recommended flow rate to an existing or proposed distribution system within the area to be served, and fulfillment of the terms of this permit.

This permit shall be subject to cancellation should the permittee fail to comply with the above schedule and/or fail to give notice to the Department of Ecology on forms provided by that Department of Ecology.

Given under my hand and the seal of this office at Olympia, Washington,

____ day of _____, 19 94.

Mary Riveland, Director

Department of Ecology

by Jae Blomquist